

<b>AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT</b>			1. CONTRACT ID CODE		PAGE OF PAGES 1   3		
2. MODIFICATION NO.:  0003		3. EFFECTIVE DATE  JUN 10, 2005		4. REQUISITION/PURCHASE REQ. NO.  W81W3G-2035-7181		PROJECT NO. (If applicable)	
6. ISSUED BY Department of the Army Baltimore District, Corps of Engineers Contracting Division P.O. Box 1715 Baltimore MD 21203-1715		CODE CA31		7. ADMINISTERED BY: Contracting Division, Contracts Branch CENAB-CT-C 10 S. Howard ST. Room 7000 Baltimore, MD 21203-1715		CODE E1P0100	
8. NAME AND ADDRESS OF CONTRACTOR (No., street, county, State and ZIP Code)				(x)		9A. AMENDMENT OF SOLICITATION NO. W912DR-05-R-0051	
				X		9B. DATED (SEE ITEM 11) MAY 19, 2004	
						10A. MODIFICATION OF CONTRACT/ ORDER NO.	
						10B. DATED (SEE ITEM 13)	
CODE		FACILITY CODE					

**11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS**

	The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers <b>is not extended.</b>
	<b>DATE OF RECEIPT OF PROPOSALS      3:30 PM, LOCAL TIME, JUN 17, 2005</b>

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:

(a) By completing Items 8 and 15, and returning   1   copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

**12. ACCOUNTING AND APPROPRIATION DATA (If required)**

**13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS,  
IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.**

	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER No. ITEM 10A
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR43.103(b)
	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF: changes clause FAR 52.243.1
	D. OTHER (Specify type of modification and authority)

E. IMPORTANT: Contractor    is not,    is required to sign this document and return        copies to the issuing office.

**14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)**

**ADAL BALLISTIC TESTING FACILITY  
ICE, ALTOONA, PENNSYLVANIA**

**SEE THE FOLLOWING PAGES**

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect

15A. NAME AND TITLE OF SIGNER (Type or print)		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)	
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA	16C. DATE SIGNED
_____ (signature of person authorized to sign)		BY _____ (Signature of Contracting Officer)	

AMENDMENT NO. 0003 TO RFP W912DR-05-R-0051  
EFFECTIVE JUN 10, 2005

SPECIFICATIONS:

- 1) Pages 01000-4, Paragraph 1.9.a: Replace second sentence with the following:

"Installation procedures require that a standard background check be performed for all Contractors' employees. A list of all individuals that will be working on the site, on a daily basis, shall be provided to the facilities manager at least (as a minimum) two weeks prior to the commencement of any site work. This list would include the individuals name, address, telephone number, date of birth, and SSN. A picture ID will be required upon entry to the site for all Contractor's employees to be matched against a list of permitted entrants on a daily basis."

- 2) Pages 01000-5, Paragraph 1.9.b: Replace with the following:

"All occasional Contractor employees (individuals that are not working on a daily basis) shall be required to provide the background information at least 24 hours prior to site access, show a valid ID, such as a drivers license, and possibly wear and display a visitors badge at the discretion of the facility security manager. This security requirement is for all primary contractors, sub-contractors, and all other individuals wanting to gain access to the facility site.

All drivers of vehicles, including those bringing construction materials onto the site, shall show a valid drivers license and delivery order. All vehicles entering the facility are subject to being searched upon entry and exiting the facility."

- 3) Page 01000-5, Paragraph 1.9.c: Replace with the following:

"The Altoona facility security manager shall be responsible to review all background information provided and provide list of permitted entrants to the security checkpoint. Any visitor or delivery pass ID's, badges, dashboard signs, etc., shall be provided by the Altoona facility."

- 4) Page 01000-5, Paragraph 1.10: Delete in its entirety.

- 5) Page 01050-2, Paragraph 1.4.2.j: Revise to read "Operation of valves on mains will be by utility company personnel . The Contractor shall be responsible to coordinate utility interruptions with the Contract Officer and the utility company as stated elsewhere in this specification. Where shutoff of the water lines interrupts service to fire hydrants or fire sprinkler systems, the Contractor shall arrange his operations and have sufficient material and personnel available to complete the work without undue delay or to restore service without delay in event of emergency."

AMENDMENT NO. 0003 TO RFP W912DR-05-R-0051  
EFFECTIVE JUN 10, 2005

- 6) Page 01050-3, Paragraph 1.4.2.k: Revise to read "Flow in gas mains which have been shut off shall not be restored until the contractor and utility company personnel have determined that all items serviced by the gas line have been shut off."
- 7) Page 01510-1, Paragraphs 1.3 and 1.4: Delete in their entirety.
- 8) Section 01572: Delete entire section.
- 9) Section 01670: Delete entire section.
- 10) Page 01355-8, Paragraph 3.1: Delete in its entirety.
- 11) Page 01355-13, Paragraph 3.12: Delete in its entirety.